

TEST REPORT

Issued to: M/s Koye Pharmaceuticals Pvt.Ltd A-10, Art Guild House, LBS Marg, Mumbai-400070	LAB REFERENCE NO	FN201807090458
	Issue Date	09/07/2018
	Your Ref.	N/A
	Report Issue Date	17/07/2018

Sample Particulars: Panch Tulsi Drop

Sample Registration Date	09/07/2018	Analysis Completion Date : 17/07/2018
Analysis Starting Date	09/07/2018	
Name of The Product	Panch Tulsi Drop	
Quantity Received	30ml × 5 NOS	
Sample's Description	-	
Tests Required	Chemical & Microbiological Test	
Sampling Done By	Mr. Jaideep (AGSS Lab Representative)	
Batch NO.	PTD 18061	
Month of Manufacture	Jun 2018	
Date of Expiry	Best Before 24 Months From month of Manufacture	

Sr. No.	Test Parameter	Unit of Measurement	Results	Limit as per API	Method of Testing
1	Description	-	Clear Liquid	-	By Visual Examination
Heavy Metals:					
1	Lead (as Pb)	mg/kg	ND(LOQ-0.1)	10.0 Max	AGSS/CHEM/SOP/ICPMS-13
2	Arsenic(as As)	mg/kg	ND(LOQ-0.1)	3.0 Max	AGSS/CHEM/SOP/ICPMS-13
3	Cadmium (as Cd)	mg/kg	ND(LOQ-0.1)	0.3 Max	AGSS/CHEM/SOP/ICPMS-13
4	Mercury (as Hg)	mg/kg	ND(LOQ-0.1)	1.0 Max	AGSS/CHEM/SOP/ICPMS-13
Microbiological Parameter:					
1	Yeast & Mould	Cfu/ml	<10	NMT 1000	API (P-1) Volume VI
2	E.Coli	Per ml	Absent	Absent	API (P-1) Volume VI
3	Staphylococcus aureus	Per ml	Absent	Absent	API (P-1) Volume VI
4	Salmonella	Per ml	Absent	Absent	API (P-1) Volume VI
5	Pseudomonas aeruginosa	Per ml	Absent	Absent	API (P-1) Volume VI
6	Total Aerobic Microbial Count	Cfu/ml	15	NMT 100000	API (P-1) Volume VI

Note:- ND = Not Detected, LOQ = Limit Of Quantification.

Remarks: The Tested Sample Confirms with respect to above test only.

Checked By
Nisha

Nitin Kumar
Microbiologist
(Authorized Signatory)

*****End of Test Report*****