

“  
**Colaborating with Global Leaders**  
”



**RV**<sup>®</sup>  
GROUP

📍 Head office : 21-06 High Street Centre, 1 North Bridge Road 179094 Singapore  
📍 Corporate Office : # 402-408, Hubtown Viva, Western Express Highway, Shankarwadi,  
Jogeshwari (East), Mumbai - 400060, India

**RV**<sup>®</sup>  
GROUP

**K&H**



**Asia**  
Business Outlook **TOP 10**  
**PHARMACEUTICAL**  
COMPANIES FROM ASIA - 2023

*Real Value to Life Through Science*

Since our inception, RV Lifesciences Ltd. has achieved remarkable success, setting unprecedented benchmarks in the Indian Pharmaceutical Market.

R & D

Manufacturing

Distribution & Marketing



RV OPV Bien Hoa, Vietnam



BRV Factory, Cu Chi, Vietnam



RVK, Myanmar



RVLL, India

### Operations in 9 Countries

India Vietnam Myanmar Kazakhstan Philippines  
Cambodia Uzbekistan Thailand Middle East & Africa



At **RV GROUP**, we are dedicated to surpassing expectations by going the extra mile. Our commitment is to anticipate the needs of the people and provide unparalleled care, fostering a healthier and happier world. We aim to grow exponentially while maintaining a steadfast focus on healing, curing, and enhancing general well-being and happiness in society.



COMMITTED TO WINNING HEALTH



Introducing

# CELIN Chewable

Vitamin C 500 mg Chewable Tablets



In Common Cold, Viral Infections & Low Immunity

Trusted  
Immunity


Chewable  
Convenience

Faster  
Action

Boosting Compliance  
Through Taste

Advanced Delivery  
Technology

Vitamin C: Scientifically Proven Immunity Shield



- **Enhances Immune Cell Function**  
Boosts immune cells activity to fight infections effectively<sup>1</sup>
- **Strengthens Respiratory Barrier**  
Improves epithelial barrier function, reducing pathogen entry<sup>2</sup>
- **Reduces Oxidative Stress**  
Neutralizes free radicals and helps in infection control<sup>1</sup>
- **Shortens Duration of Infections**  
Reduces length and severity of respiratory tract infections<sup>3,4</sup>

**Dosage:**

**Adults 500mg twice a day**  
**Children (above 12yrs): 1 tablet daily**  
*(under physician supervision)*  
**or as directed by the physician.**



Ref 1. <https://pubmed.ncbi.nlm.nih.gov/29099763/> 2. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7553131/> 3. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7129436/> 4. <https://pmc.ncbi.nlm.nih.gov/articles/PMC9970132/>

\*Ref. 1. 2017 Apr; 9(4):339 2. <https://pubmed.ncbi.nlm.nih.gov/16373990/> 3. <https://ods.od.nih.gov/factsheets/VitaminC-HealthProfessional/> 4. <https://www.ncbi.nlm.nih.gov/books/NBK499877/> 5. <https://www.mdpi.com/2076-3921/11/10/1993>

References:  
ICMR-NIN (2020) – Nutrient Requirements for Indians RDA report summary ICMR National Institute of Nutrition+1  
Ascorbic Acid (Vitamin C) RDA values overview – referenced summary from ICMR-NIN 2020  
recommendations Metabolic Health Digest

Real Value to Life Through Science

As Immunity Booster and Antioxidant Support

Rx  
**NEW**  
**CELIN 500**

Vitamin C IP 500 mg Tablets

Generation trusted **Vitamin C**  
for Total Wellness.



Manufactured in World Class Facilities  
Certified with Highest Quality Standards



**Dosage:**  
Adults 500mg twice a day  
Children (above 12yrs): 1 tablet daily (under physician supervision)  
or as directed by the physician.

To function at our best every day, our body needs three non-negotiables  
**ENERGY, STAMINA & FOCUS**

**3 Foundation Pillars of Daily Health**

<p><b>Body feels tired the day begins.</b> जब दिन शुरू होने से पहले शरीर थका हुआ लगे...</p> <p><i>If, Even Rest Can't Reboot.</i> आराम के बाद भी तरोताजा नहीं लगता...</p> <p><b>ENERGY</b> (ऊर्जा)</p>	<p><b>Illness like cold flu that once passed quickly, now take time to heal.</b> साधारण बीमारियाँ ख़ासी जुकाम भी अब समय लेते हैं ठीक होने लगे...</p> <p><i>Climbing Stairs Feels Like Climbing Everest.</i> सीढ़ियाँ चढ़ना एवरेस्ट फतह करने जैसा लगे...</p> <p><b>STAMINA</b> (आंतरिक ताकत)</p>	<p><b>Forgetting small daily tasks.</b> छोटी-छोटी बातें भूल जाते हैं...</p> <p><i>Start Many Tasks but Finish None.</i> अक्सर कई काम शुरू होते हैं, पर पूरा कोई नहीं होता...</p> <p><b>FOCUS</b> (एकाग्रता)</p>
--	---	---

<p><b>Body's Daily Warning Signs</b> शरीर द्वारा दिए गए के थकावट के संकेत</p>	<p><b>Internal Power Signals</b> थकावट से पहले शरीर की चेतावनी</p>	<p><b>Mind's Way of Asking for Support</b> मानसिक थकान के छिपे हुए संकेत</p>
---	--	--

Ref. 1. 2017 Apr; 9(4): 339. 2. 2023 Jan; 15(1): e33740 3. <https://pubmed.ncbi.nlm.nih.gov/24796079/> 4. Ann N Y Acad Sci. 1980;355:32-44  
5. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5579659/> 6. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7569434/>

References:  
ICMR-NIN (2020) – Nutrient Requirements for Indians RDA report summary ICMR National Institute of Nutrition+1  
Ascorbic Acid (Vitamin C) RDA values overview – referenced summary from ICMR-NIN 2020 recommendations Metabolic Health Digest

**Real Value to Life Through Science**






# CELIN GOLD


Advanced Antioxidant + Multivitamin + Multimineral + Amino Acid Formula

Offers Comprehensive Health Benefits



## More than a Multivitamin..., it's Complete ESF Nutrition

 <p><b>Energy</b></p> <p>Boosts energy with herbal adaptogens and B-vitamins</p>	<ul style="list-style-type: none"> <li>• <b>Taurine</b> - Muscle performance<sup>1</sup></li> <li>• <b>Ginseng Extract</b> - Improves mental and physical endurance<sup>2</sup></li> <li>• <b>Vitamin B Complex + Iron + Magnesium</b> - Supports neuromuscular balance<sup>3</sup> and fights tiredness</li> </ul>
 <p><b>Stamina</b></p> <p>Enhances stamina with amino acids and antioxidants</p>	<ul style="list-style-type: none"> <li>• <b>Branched-Chain Amino Acids (BCAAs) + L-Leucine, L-Isoleucine, L-Valine</b> - Support muscle recovery<sup>4</sup></li> <li>• <b>L-Lysine + L-Threonine + DL-Methionine</b> - Supports bone strength, and stamina<sup>5</sup></li> <li>• <b>Vitamin C + D3 + Zinc + Selenium</b> - Combination supports endurance and fast recovery from infections or Fatigue<sup>6</sup></li> </ul>
 <p><b>Focus</b></p> <p>Improves focus with neuro formula and mood support</p>	<ul style="list-style-type: none"> <li>• <b>Omega-3 Fatty Acids</b> - Support memory, brain function, and concentration<sup>7</sup></li> <li>• <b>L-Tryptophan + L-Phenylalanine Biotin + Folic Acid + Iodine + Vitamin A</b> - Promoting mental clarity, motivation, and emotional stability. Brain cell production, and cognitive performance in all age groups<sup>8</sup></li> </ul>



Scan to check your ESF Score

**“Roz Ki Zindagi Ka Roz Ka Support – CELIN GOLD”**

1. Taurine: Taurine enhances muscle performance and delays fatigue during exertion. Ref: Zhang et al., J. Appl. Physiol., 2004 2. Ginseng Extract: Ginseng boosts mental clarity and physical endurance. Ref: Reay et al., Psychopharmacology, 2005 3. Vitamin B Complex + Iron + Magnesium: These nutrients help energy metabolism, reduce tiredness, and support neuromuscular function. Ref: NIH – Micronutrient Info Center 4. BCAAs (L-Leucine, L-Isoleucine, L-Valine): Support muscle repair, endurance, and exercise recovery. Ref: Shimomura et al., J. Nutr., 2006 5. L-Lysine, L-Threonine, DL-Methionine: Essential amino acids for tissue repair, bone strength, and stamina. Ref: Wu G., J. Nutr., 2009 6. Vitamin C, D3, Zinc & Selenium: Key immune nutrients that help faster recovery from illness and fatigue. Ref: Gombart et al., Nutrients, 2020 7. Omega-3 Fatty Acids: Improve memory, brain health, and attention span. Ref: Swanson et al., Adv. Nutr., 2012 8. L-Tryptophan, L-Phenylalanine, Biotin, Folic Acid, Iodine, Vitamin A: Support mood, motivation, and brain function across age groups. Ref: Benton D., Br. J. Nutr., 2007

**Real Value to Life Through Science**



# CELIN GOLD


Advanced Antioxidant + Multivitamin + Multimineral + Amino Acid Formula

More than a Multivitamin..., it's Complete ESF Nutrition



Shift from Supplement

to ESF Solution.....



- 33 Scientifically Proven Ingredients
- Targeted approach for Energy, Stamina & Focus
- Ideal for Prevention, Recovery & Performance Boost

Rx In RTI & UTI

# Septran - CV 625

Amoxicillin & Potassium Clavulanate Tablets

“A Legacy of Trust,  
Reinvented for Today”

OXFORD  
ACADEMIC

A recent study published in *Clinical Infectious Diseases* highlights the combination achieves clinical success rates of over 90% in treating RTIs and UTIs

- ▶ Enhanced Efficacy
- ▶ Reduce Resistance
- ▶ Improved Patient outcomes

The faster recovery time of 3 to 5 days was observed in patients with RTI\*

**DOSAGE\*\***

- ☑ In mild to moderate infections - B.I.D
- ☑ In LRTI, complicated UTI or severe infections - 1 to 2 tablets T.I.D



Ref: Recommended Daily Allowance Guidelines - ICMR 2020)

\*\*<https://www.medsafe.govt.nz/profs/datasheet/a/augmentintabsusp.pdf>  
\*such as bronchitis and sinusitis.

For the use of a Registered Medical Practitioner or a Hospital or a Laboratory only.

Real Value to Life Through Science

In UTI, Bronchitis & Pneumonia

Rx **Septtran**  
Trimethoprim & Sulphamethoxazole

**Adults DS Tablets**  
**Pediatric Suspension**

**Preferred antimicrobial for Typhoid fever**

As per NCDC Co-trimoxazole is essential in treatment of Acute uncomplicated Cystitis<sup>1</sup>

Acute uncomplicated Cystitis<sup>1</sup>

**Standard Dosage Adults DS Tablets<sup>2</sup>**

Indication	Adult	Children/ Adolescents
UTI	1-2 tablets twice daily for 10 to 14 days	1 tablet twice daily for 10 days
Chronic Bronchitis	1 tablet twice daily upto 14 days	
Pneumonia	1 tablet thrice daily upto 21 days	



As per NCBI guidelines Medicine Wise Co-trimoxazole works by stopping the growth of bacterial infections in the body<sup>3</sup>

**Standard Dosage Pediatric Suspension<sup>4</sup>**

Children upto 1 year	Children /Adolescents 3 to 17 yrs	Adults
5ml twice daily for 10 days	10ml twice daily for 10 days	20ml twice daily for 10 days



<sup>1</sup><https://amrtg.icmr.org.in/chapter2-management-table1.html>- 1. [www.ncdc.in](http://www.ncdc.in) 2. Indian pharmacology.  
<sup>3</sup> [www.ncbi.nlm.nih.gov/](http://www.ncbi.nlm.nih.gov/) 4. Indian pharmacology

**Real Value to Life Through Science**



A BALANCED DIET IN THE RIGHT QUANTITY IS  
KEY TO GOOD DIGESTION.

# DIZZO

Papain,  $\alpha$ -Amylase & Simethicone Effervescent Tablets

- **Digestive Enzyme**


- ✓ Papain & Alpha-Amylase aid in faster food breakdown, improving digestion and reducing bloating.<sup>1</sup>

- **Simethicone**

- ✓ Effectively reduces gas & bloating by breaking down gas bubbles.<sup>2</sup>

- **Effervescent Format**

- ✓ Rapid absorption for quick relief
- ✓ Gentle on the stomach
- ✓ Tasty orange flavor for better compliance



**Triple Action Technology,**  
DIZZO ensures **purity,**  
**performance,** and **prolonged**  
**efficacy**-helping your  
patients recover better,  
faster, and consistently

GDB (Granulation - Drying - Blending)

Delivers consistent therapeutic outcomes  
reducing variability in patient response

References :<sup>1</sup>Sharma R et al. Role of Digestive Enzymes in Gastrointestinal Disorders. Int J Pharm Sci Res. 2021;12(3):456-464.  
<sup>2</sup>Tytgat GN. Treatment of Bloating and Functional Dyspepsia: The Role of Simethicone. Eur J Gastroenterol Hepatol. 2018;30(4):375-380.  
<sup>3</sup>Patel S et al. Dietary Factors Contributing to Gastrointestinal Symptoms. J Clin Nutr Metab. 2019;8(2):112-118

1. FBP (Fluidized Bed Processing) + Clean Room Packing  
2. GDB (Granulation - Drying - Blending)  
3. FBD (Fluidized Bed Drying)

Real Value to Life Through Science

Eliminate Acidity, Gas, Bloating & Indigestion with

# DIZZO

Papain,  $\alpha$ -Amylase & Simethicone Effervescent Tablets



Now available in  
a refreshing  
Tangy Orange Flavor!




For Quick Relief, Choose

## DIRECTIONS FOR USAGE




Drop one tablet in  
half glass of water



Drink as soon as the  
tablet dissolves

## Proudly Collaborates



- **No. 1** brand since 2 decades for mouth ulcer
- **100% Herbal, No side effects, Safe for children and pregnant women**
- Quick relief from mouth ulcer, ulcers caused by dental braces and denture sores
- Should be applied with inbuilt applicator 3 to 4 times in a day



Smyle Mouth Ulcer Gel

### Dosage:

**Apply 3–4 times a day with the inbuilt applicator.**  
\*As per product pack insert & AYUSH guidelines



## Smyle Always Scores

Feature	Smyle	O_a_o_e
Type	Herbal	Allopathic
Side Effects	✓ No major side effects, mild herbal taste	✗ Possible burning, irritation, nausea, drowsiness
Allergic Reactions	✓ Rare, as it is a natural formulation	✗ Possible allergic reactions (rash, itching, swelling)
Safe for Long - Term Use?	✓ Yes, suitable for prolonged use	✗ No, prolonged use can lead to toxicity
Effect on Ulcer Pain	✓ Reduces pain + heals ulcers naturally	✗ Only numbs pain, does not heal ulcers
Cooling & Soothing Effect	✓ Instant cooling & soothing (Karpoor, Pudina)	✗ Only numbs, no cooling effect
Drug-Drug interaction	None	May interact with other anesthetic drugs, Antibiotics-Ibuprofen, Naproxen, Anticoagulants
Drug-Disease interaction	None	Use with caution in patients with Liver diseases, Bleeding, disorders, Allergy to local anaesthetics
Risk in Children & Elderly	✓ Safe for kids & elderly	✗ Dangerous if ingested accidentally
Overdose	No major side effects	Temporary burning or stinging sensation at application site.
Effects if Ingested in Large Quantities	No significant toxicity; at most, mild digestive discomfort	Can lead to salicylate toxicity (similar to aspirin overdose), dizziness, nausea, vomiting, stomach pain <sup>1,2</sup>
Toxicity Risk if Swallowed	✓ Non-toxic, safe even if accidentally ingested	✗ Toxic if swallowed, especially in children. Dangerous; Lidocaine overdose can cause drowsiness, confusion, seizures, irregular heartbeat <sup>3</sup>

1. <https://www.gov.uk/drug-safety-update/oral-salicylate-gels-not-for-use-in-those-younger-than-age-16-years>  
 2. <https://www.ncbi.nlm.nih.gov/books/NBK499879/>  
 3. <https://www.ncbi.nlm.nih.gov/books/NBK482479/>

**Real Value to Life Through Science**



# Smyle Cough & Sore Throat Reliever

India's first gargle & gulp formula

## One Solution for all types of Cough

- Unique "Gargle & Gulp" Therapy
- Provides relief from Productive, Unproductive & Smoker cough with no side effects
- Smyle Adulsa with triple action is useful for all age group.



Feature	Smyle	H-n-t-s	K-f-l	Smyle's Advantage
<b>Cough, Cold &amp; Sore Throat Relief</b>	✓ Relieves cough, cold & sore throat effectively.	⚠ Used only for cough treatment	⚠ Used only for cough treatment	Provides relief for all types of cough, cold & sore throat.
<b>Dual-Action Formula (Gargle &amp; Gulp)</b>	✓ India's first gargle & gulp formula	⚠ Only a gulp formula	⚠ Only a gulp formula	Gives instant gargle relief & lasting gulp relief
<b>Haldi (Curcumin) for Anti-Inflammatory Benefits</b>	✓ Present	✗ Absent	✗ Absent	Reduces inflammation & boost immunity
<b>Karpoor (Camphor) for Antiseptic &amp; Cooling Effect</b>	✓ Present (10mg)	✗ Absent	✗ Absent	Provides instant throat cooling & antimicrobial action.
<b>Tulsi for Immunity Boost &amp; Respiratory Benefits</b>	✓ 70 mg /5 ml	⚠ 50 mg /5 ml	✓ 60 mg /5 ml	Offers better respiratory protection & immune support
<b>Yashtimadhu (Mulethi) for Sore Throat Relief</b>	✓ 100 mg /5 ml	✓ 50 mg /5 ml	✓ 100 mg /5 ml	Ensures superior throat-soothing effects
<b>Best for Immediate Sore Throat Relief</b>	✓ Gargle provides direct effect	⚠ Mild effect	⚠ Mild effect	Provides faster localized throat relief due to gargling
<b>Fights Bacteria &amp; Viruses (Antiseptic Action)</b>	✓ Karpoor, Pudina, Haldi, Tulsi	✗ No strong antiseptic	⚠ Mild	Actively kills throat bacteria with Karpoor & Haldi.
<b>Better Taste &amp; Acceptance</b>	✓ Herbal & sweet taste	⚠ Honey-based	⚠ Strong taste	Natural Sweet taste
<b>Best for Smokers' Cough &amp; Throat Irritation</b>	✓ Gargle provides direct throat relief	⚠ Limited effect	⚠ Limited effect	Offers localized relief for smokers & voice professionals
<b>Diabetic-Friendly</b>	✓ Yes (No sugar/sweeteners)	✗ No	✗ No	Safer for Diabetic patients

**Dosage:**

10ml 4 times a day for adults & 5ml 4 times a day for children or as directed by physician

\*As per product pack insert and AYUSH guidelines

1. <https://www.gov.uk/drug-safety-update/oral-salicylate-gels-not-for-use-in-those-younger-than-age-16-years>  
 2. <https://www.ncbi.nlm.nih.gov/books/NBK499879/>  
 3. <https://www.ncbi.nlm.nih.gov/books/NBK482479/>

## BACTYLAJ OINTMENT

Mupirocin IP 2% w/w



- An antibiotic medicine used to treat certain skin infections such as impetigo (red sores), recurring boils, & others
- It works by killing certain bacteria
- This helps to improve symptoms & cure the underlying infection

### Dosage:

**Apply 2–3 times daily to the affected area.**

**Duration: 5–10 days or as advised by the physician.**

**May be covered with sterile gauze if required.**

## CALCYLAJ-DZ SOFTGEL CAPSULE

Calcitriol IP 0.25mcg + Calcium Carbonate 500mg +  
Zinc Sulphate Monohydrate 7.5mg



- Enhances bone mineralization for stronger bones
- Improves muscle function and mobility
- Maintains anti-inflammatory balance in bone health
- Effective in osteoporosis & metabolic bone disorders

### Dosage:

**1 softgel daily after meals or as directed by the physician**

1. FDA Prescribing Information – Mupirocin Ointment 2%. Source: FDA Label (Search: Mupirocin Ointment 2%)  
2. British National Formulary (BNF). Source: BNF – NICE.org.uk  
3. NICE Antimicrobial Prescribing Guidelines – NG153 (Impetigo). Source: NICE NG153

References :  
1. Wan J, Xie J, Hu C, Liu J, Zhu C. Effect of calcium plus Vitamin-D combined with calcitriol in the treatment of patients with Type-2 diabetes and osteoporosis: A retrospective observational analysis. Pak J Med Sci. 2024 Jan-Feb;40(3Part-II):444-448. doi: 10.12669/pjms.40.3.8795. PMID: 38356827; PMCID: PMC10862466

## COUGH FREE BRO SYRUP

Terbutaline Suphate, Bromhexine Hydrochloride,  
Guaphenesin & Menthol Syrup



- Triple-action relief for productive cough
- Soothes throat for lasting comfort
- Infused with menthol for a refreshing, cooling sensation

### Dosage:

**Adults: 10 ml TID | Children 6–12 yrs: 5 ml TID**  
**To be taken after meals**

## COUGH FREE DX SYRUP

Phenylephrine, Chlorpheniramine Maleate &  
Dextromethorphan Hydrobromide



- Clinically proven to relieve dry cough and congestion by over 70%
- Noticeable improvement within 3–5 days
- Good tolerability profile
- Effective in both adults and pediatric patients

### Dosage:

**Adults: 10 ml every 6–8 hrs | Children (6–12 yrs): 5 ml every 6–8 hrs**  
**Max 4 doses per day | Take after meals**

References: BNF, Drugs.com, CIMS India

1. Drugs.com – Combination Syrup Reference Terbutaline (1.25–2.5 mg), Bromhexine (4–8 mg), Guaiaphenesin (100 mg), Menthol – typically dosed 3x/day. Source: [www.drugs.com](http://www.drugs.com)

2. BNF (British National Formulary) Guaiaphenesin & bronchodilator combinations: 10 ml three times daily for adults. Source: <https://bnf.nice.org.uk>

3. Indian Pharmacopoeia Guidelines / CIMS India Common OTC combinations for productive cough follow the 10 ml (adult) / 5 ml (child) TID schedule

References: Drugs.com, BNF, CIMS India

1. Drugs.com – Dextromethorphan + Chlorpheniramine + Phenylephrine

<https://www.drugs.com/dosage/dextromethorphan-chlorpheniramine-phenylephrine.html>

Adults: 10 mL every 6–8 hours. Children: 5 mL every 6–8 hours. Max 4 doses/day." 2. BNF (British National Formulary) Combination cold syrups containing antihistamines, decongestants, and antitussives are usually dosed three times daily. 3. Indian Pharmacopoeia / CIMS India Recommended dose for cold combination syrups in children and adults as per standard OTC formulations

**Real Value to Life Through Science**

## PAINFREE-SP TABLETS

Aceclofenac IP 100mg + Paracetamol IP 325mg +  
Serratiopeptidase IP 15mg



### (Triple Action Relief):

- Potent analgesic effect for effective pain relief
- Reduces inflammation efficiently
- Speeds up recovery from swelling for improved mobility

### Dosage:

**1 tablet twice daily after meals.**

**Duration and adjustments per  
physician's guidance.**

## PAINFREE-AP TABLETS

Aceclofenac IP 100mg + Paracetamol IP 325mg



### (Dual Action Pain Relief):

- Combines potent anti-inflammatory action with central analgesia
- Provides faster onset of pain relief
- Ensures sustained control in musculoskeletal pain
- Effective in dental pain management

### Dosage:

**1 tablet 2 times per day**

# LULYLAJ CREAM

Luliconazole IP 1% w/w



Luliconazole – a next-gen imidazole with rapid fungicidal action, high efficacy with improved patient compliance<sup>1</sup>

### Dosage:

Apply a thin layer once daily to affected area + ~1inch of surrounding skin.

- Tinea Corporis / Cruris: 7 days
- Tinea Pedis: 14 days

References:  
(MedlinePlus, Drugs.com, GlobalRPH)  
MedlinePlus (U.S. National Library of Medicine): Advises once-daily application of luliconazole cream—1 week for tinea corporis/cruris and 2 weeks for tinea pedis.  
MedlinePlusDrugs.com Dosage Guide: Recommends applying a thin layer once daily—1 week for tinea corporis/cruris, 2 weeks for tinea pedis. Drugs.com  
GlobalRPH (Luzu Cream, 1% monograph): Indicates once-daily usage—2 weeks for interdigital tinea pedis, 1 week for tinea cruris/corporis. GlobalRPH

# MIMUCYP SYRUP

Cyproheptadine Hydrochloride 1.P.2mg +  
Tricholine Citrate (65%) 275mg



Stimulates appetite naturally and improves fat metabolism for healthy weight gain

### Dosage:

Children (2–6 yrs): 5ml twice daily  
Children (7–14 yrs): 10ml twice daily  
Adults: 10ml twice or thrice daily

References :  
MedCentral: cyproheptadine dosage  
Centaur Pharma Oraxin Syrup PI  
Drugs.com: Cyproheptadine

Real Value to Life Through Science

## MIMUVIT LYCO SYRUP

Multi-Vitamins & Multi-Minerals, Lycopene,  
Methylcobalamin, Antioxidants



- Restores strength & vitality
- Boosts immunity & nerve health
- Antioxidant protection for faster recovery

### **Dosage:**

**Adults: 10–15ml once daily after meals**

**Children (5–12 yrs): 5ml once daily after meals**

**Children (2–5 yrs): 2.5ml once daily after meals**

References :  
Drugs.com: Multivitamin Dosage  
MedlinePlus: Vitamins Overview  
RxList: Lycopene & Methylcobalamin

## MIMUVIT-L SYRUP

Multi-Vitamins & Multi-Minerals, L Lysine



- Boosts appetite
- Restores strength and energy
- Provides daily nutrition with L-Lysine support
- Complete vitamin & mineral care for growth, recovery, and vitality

### **Dosage:**

**Children (1–4 years): 2.5ml once daily**

**Children (5–12 years): 5ml once daily**

**Adults: 5ml once or twice daily**

References :  
Appeton Multivitamin Lysine Syrup – MIMS.com  
WebMD – L-Lysine Safety & Use

**Real Value to Life Through Science**

## PANYLAJ D SR CAPSULE

Pantoprazole Sodium IP (EC Pellets) 40mg +  
Domperidone IP (SR Pellets) 30mg



- Dual-action relief for gastric discomfort
- Domperidone: Enhances gastric motility for faster stomach emptying
- Pantoprazole: Provides potent and long-lasting acid suppression

### **Dosage:**

**Adults: 1 capsule once daily, before breakfast**

References :  
Drugs.com: Pantoprazole + Domperidone  
National Center for Biotechnology Information (NCBI): "Domperidone with PPIs for GERD & gastroparesis" – PubMed  
Indian Guidelines for GERD, API Textbook of Medicine

## RABOYE-D SR CAPSULE

Rabeprazole Sodium IP (EC Pellets) 20mg +  
Domperidone IP (SR Pellets) 30mg



- Relieves reflux, bloating, and nausea
- Provides faster and smoother gastric comfort
- Improves overall digestive well-being for patients

### **Dosage:**

**Adults: 1 capsule once daily, before breakfast**

References :  
Drugs.com: Rabeprazole + Domperidone  
World J Gastroenterol 2009: Domperidone + PPI in GERD management  
API Textbook of Medicine – Indian Guidelines on GERD

**Real Value to Life Through Science**

**Fast Relief from Skin Infections,  
Inflammation & Itching**

## **NOKOUT PLUS CREAM**

**Itraconazole BP, Ofloxacin IP, Ornidazole IP,  
Clobetasol Propionate IP**



- It is a combination of medicine that is used to treat various types of skin infections
- It minimizes symptoms of inflammation such as redness, swelling & itching
- It also has antimicrobial action against infection-causing microorganisms

**Dosage:**

**Apply a thin layer to the affected area**

**2 times daily (morning & evening)**

**Use for 7–14 days or as directed by a physician**